



Egyptian Herbal Monograph

Volume 3

Medicinal plants used in Egypt

Egyptian Drug Authority (EDA)

2022



*Citation: Egyptian Herbal Monograph(2022). Hedera helix, 296-300.
EDA, Egypt*

Egyptian Herbal Monograph

Medicinal Plants Used in Egypt

Hedera helix L.

لبلاب

1. Names & Synonyms

Hedera helix L.

Family: Araliaceae

Syns.: *Hedera communis* Gray, *H. poetarum* Bertol., *H. poetica* Salisb (1).

Arabic : Liblab لبلاب

English name: English Ivy, Common Ivy (1-2).

2. Parts used for medicinal purpose (3)

Dried leaves.

3. Major chemical constituents (4-6)

-Triterpenoid saponins: Hederasaponin C (=hederacoside C), hedrasaponins B, D, D E, F, G, H and I, and α -hederin, hederagenin 3-*O*- β -glucoside (7).

-Flavonoids: Quercetin, kaempferol including their 3-*O*-rutinosides and 3-*O*-glucosides (= isoquercitrin and astragalin) (8).

-Phenolic acids: Caffeic, chlorogenic, neochlorogenic, 3,5-*O*-dicaffeoyl-quinic, 4,5-*O*-dicaffeoyl-quinic, rosmarinic, dihydroxybenzoic, protocatechuic and *p*-coumaric acids.

-Others: Coumarin glycoside (scopolin), polyacetylenes, anthocyanins, volatile oil, phytosterols, amino acids (8).

4. Medicinal Uses (Indications) (8)

Expectorant in case of productive cough.



هَيْبَةُ الْوَأْدِ وَالصَّبْرُ

5. Herbal preparations correlated to medicinal use (8)

1. Dry extract

- 1.1. Extraction solvent ethanol, 24-30% m/m
- 1.2. Extraction solvent ethanol, 40% m/m
- 1.3. Extraction solvent ethanol, 60% m/m

2. **Liquid extract:** extraction solvent ethanol, 70% V/V

3. **Soft extract:** extraction solvent ethanol, 50% V/V: propylene glycol (98:2).

Herbal preparations are in pharmaceutical dosage forms. The pharmaceutical form should be described by the pharmacopoeia full standard term.

6. Posology and method of administration correlated to medicinal use (8)

Preparation 1

Adolescents, adults and elderly

- 1.1. Single dose: 15-65 mg, 1-3 times daily, daily dose: 45-105 mg.
- 1.2. Single dose: 14-18 mg, 3 times daily.
- 1.3. Single dose: 33 mg, 2 times daily.

Children between 6-11 years of age

- 1.1. Single dose: 11-35 mg, 2-3 times daily, daily dose: 33-70 mg.
- 1.2. Single dose: 9-18 mg, 1-3 times daily, daily dose: 15-40 mg.
- 1.3. Single dose: 25 mg, 2 times daily, daily dose: 50 mg.

Children between 2-5 years of age

- 1.1. Single dose: 8-18 mg, 2-3 times daily, daily dose: 24-36 mg.
- 1.2. Single dose: 7-9 mg, 2-3 times daily, daily dose: 17-27 mg.
- 1.3. Single dose: 17 mg, 2 times daily, daily dose: 34 mg.

Preparation 2

Adolescents, adults and elderly

Single dose: 100 mg, 3 times daily, daily dose: 300 mg.

Children between 6-11 years of age

Single dose: 75 mg, 3 times daily, daily dose: 225 mg.

Preparation 3

Adolescents, adults and elderly

Single dose: 40 mg, 3 times daily, daily dose: 120 mg.

Children between 6-11 years of age

Single dose: 20-26 mg, 3-4 times daily, daily dose: maximum 80 mg.

Children between 2-5 years of age

Single dose: 20 mg, 3 times daily, daily dose: 60 mg.

Duration of use

If the symptoms persist longer than one week during the use of the medicinal product, a doctor or a pharmacist should be consulted.

Method of administration: Oral use.

7. Contraindications (8)

Hypersensitivity to active substances and to other plants of the same family.

8. Special warnings and precautions for use (8)

- If the symptoms worsen or persist longer than 1 week during the use of the medicinal product, a doctor or a pharmacist should be consulted.
- Persistent or recurrent cough in children between 2-4 years of age requires medical diagnosis before treatment.
- When dyspnoea, fever or purulent sputum occurs, a doctor or a pharmacist should be consulted.
- Concomitant use with opiate antitussives such as codeine or dextromethorphan is not recommended without medical advice.
- Caution is recommended in patients with gastritis or gastric ulcer.
- Preparation (2) should not be administered to children under 6 years of age because of the alcohol content.
- Use in children under 2 years of age is not recommended because of the general risk of aggravation of respiratory symptoms through secretolytic drugs so medical supervision is needed.

9. Interactions with other medicinal products and other forms of interaction (8)

None reported.

10. Fertility, pregnancy and lactation (8)

- Safety during pregnancy and lactation has not been established. In the absence of sufficient data, the use during pregnancy and lactation is not recommended.
- No fertility data available.

11. Effects on ability to drive and use machines (8)

No studies on the effect on the ability to drive and use machines have been performed.

12. Undesirable effects (8)

- If adverse reactions occur, a doctor or a pharmacist should be consulted.
- Gastrointestinal reactions (nausea, vomiting, diarrhoea) have been reported.
- Allergic reactions (urticaria, skin rash, dyspnoea) have been reported.

13. Overdose (8)

Overdose can provoke nausea, vomiting, diarrhoea and agitation.

14. Relevant biological activities (8)

Not required as per Egyptian guidelines for registration of herbal medicines.

15. Additional information

-

16. Date of last revision

28/07/2022



هَيْئَةُ الرِّقَابَةِ
الدَّوَاءِ وَالصِّدْقِ

References

1	https://powo.science.kew.org
2	PDR for Herbal Medicines (2002). Montvale, NJ: Medical Economics Company, 2 nd ed., ISBN 1-56363-361-2.
3	Martindale: The Complete Drug Reference (2007). Pharmaceutical Press. Electronic version, London.
4	Lutsenko, Y., Bylka, W., Matławska, I. and Darmohray, R. (2010). <i>Hedera helix</i> as a medicinal plant, <i>Herba Polonica</i> , 56 (1): 83-96.
5	Yu, M., Shin, Y. J., Kim, N., Yoo, G., Park, S. and Kim, S. H. (2015). Determination of Saponins and Flavonoids in Ivy Leaf Extracts Using HPLC-DAD, <i>Journal of Chromatographic Science</i> , 53(4): 478-483. https://doi.org/10.1093/chromsci/bmu068
6	Shawky, E. and El Sohafy, S. M. (2020). "Untargeted and targeted chemical profiling for efficacy-directed discrimination of <i>Hedera helix</i> L. subspecies using HPTLC-image analysis and HPTLC/MS", <i>Industrial Crops and Products</i> , 145, 111980.
7	Heinrich, M., Barnes, J., Gibbons, S. and Williamson, E. M. (2012). <i>Fundamentals of Pharmacognosy and Phytotherapy</i> . 2nd edition, Elsevier Churchill Livingstone. ISBN 978-0-7020-3388-9.
8	Committee on Herbal Medicinal Products (HMPC) (2017). European Union herbal monograph on <i>Hedera helix</i> L., folium. EMA/HMPC/325716/2017.