



Egyptian Herbal Monograph

Egyptian Herbal Monograph

Volume 3

Herbal Formulations Used in Egypt

Egyptian Drug Authority (EDA)

2026





Egyptian Herbal Monograph

Herbal Formulations Used in Egypt

جوافة / تيليو / زعتر / زيت الشمر / عسل / Guava, Tilia, Thymus, Fennel Oil, Honey

1. Names & Synonyms

Guava (1)

Psidium guajava L.

Family: Myrtaceae.

Syns.: *Psidium aromaticum*, *P. cujavillus* Burm, *P. pomiferum*, *P. pyriferum*, *P. pumilum*.

Arabic: جوافة

English name: Guava.

Tilia (2,3)

Tilia cordata Mill.

Family: Tiliaceae (Malvaceae).

Arabic: تيليو

English: Lime flower (4), Linden, Tilia and small leaf linden, small leaf lime (5).

Tilia platyphyllos Scop.

Family: Tiliaceae (Malvaceae)

Arabic: تيليو

English: Lime flower (4), Linden, Tilia and large-leaf Linden

Tilia x vulgaris Heyne

Naturally-occurring hybrid of *T. cordata* and *T. platyphyllos* Scop.

Family: Tiliaceae (Malvaceae) Syn: *T. europaea* auct. non L.

Arabic: تيليو

English: European linden, European lime tree, Linden and Tilia (5).



Thyme

***Thymus vulgaris* L. (6)**

Syns.: *Origanum thymus* Kuntze, *Thymus collinus* Salisb.

Family: Lamiaceae (Labiatae).

Arabic: Za'ater زعتر

English name: English Thyme, Garden Thyme.

***Thymus zygis* L. (7)**

Syns.: *Origanum zygis* (L.) Kuntze, *Thymus angustifolius* Salisb.

Family: Lamiaceae (Labiatae).

Arabic: Za'ater زعتر

English name: Spanish Thyme.

Fennel (8)

***Foeniculum vulgare* Mill.**

Family: Apiaceae (Umbelliferae).

Syns: *Anethum foeniculum* Clairv., *A. foeniculum* L., *A. rupestre* Salisb., *Feniculum commune* Bubani., *F. azoricum* Mill., *F. capillaceum* Gilib., *F. dulce* DC., *F. foeniculum* L. H. Karst., *F. officinale* All., *F. panmorium* DC., *F. piperitum* DC., *F. sativum* Bertol., *Ligusticum divaricatum* Hoffmannsegg et Link, L., *Foeniculum* Crantz., *Meum foeniculum* L. Spreng., *Ozodia foeniculacea* Wight et Arn., *Selinum foeniculum* L. E.H.L.Krause.

Arabic: Shamar شمر

English: Fennel

2. Parts used for medicinal purpose

Guava: Dried leaves (1).

Tilia: Flower (3-5).

Thyme: Dried and fresh herb (9,10).

Fennel: Dried ripe fruits (11).



3. Major chemical constituents

Guava

- **Phenolic Compounds (12)**

- Flavonoids: Quercetin and its glycosides, avicularin, apigenin, guaijaverin, kaempferol, kaempferol-3-arabofuranoside, hyperin, myricetin, rutin, catechin, epicatechin, epigallocatechin gallate and proanthocyanidins.
- Phenolic acids: Gallic acid and caffeic acid.

- **Essential Oil (13,14)**

β -Caryophyllene, 4 α -selin-7 (11)-enol, β -caryophyllene oxide, α -selinene, β selinene, δ -cadinene, daucol, cubenol, 1,8-cineole (eucalyptol) and aromadendrene.

- **Others (12)**

Sugars: Sulphated and unsulphated polysaccharides (uronic acid), minerals (calcium, potassium, sulfur, sodium, iron, boron, magnesium, manganese and zinc), vitamins (C and B) and macronutrients (protein and fat).

Tilia (3)

- **Flavonoids:** Kaempferol, quercetin, myricetin and their glycosides (mainly Kaempferol-3-O- β -D-(6"-E-p-coumaroyl)-glucopyranoside "tiliroside") and proanthocyanidins (4,15).

- **Phenolic acids:** Caffeic, chlorogenic and p-coumaric acids (4,15).

- **Essential oil:** Alkanes (mainly tricosane) (16), phenolic alcohols and esters, and terpenes including citral, citronellal, citronellol, eugenol, limonene, nerol, α -pinene and terpineol (monoterpenes), and farnesol (sesquiterpene) (4).

- **Others:** Mucilage, tocopherol (phytosterol) and amino acids (4).

Thyme

- **Essential oil:** the main components are thymol, carvacrol, *p*-cymene, α and β -terpinene, linalool, terpinen-4-ol, borneol, 1,8- cineole, α -thujene, α -pinene, and caryophyllene (10).

- **Flavonoids:** apigenin, narigenin, kaempferol, and luteolin (and its glycosides) (17).

- **Phenolic acids:** salvianolic, rosmarinic, cinnamic, ferulic, caffeic and gallic acids (17).

- **Others:** monoterpene glycosides



Fennel (18)

- **Essential oil:** *trans*-anethole (+)-fenchone, estragole (methylchavicol), limonene, *p*-anisaldehyde, α -pinene and α -phellandrene.
- **Phenolic acids:** rosmarinic acid and caffeoylquinic acid derivatives.
- **Flavonoids:** eriodictyol-7-rutinoside, quercetin-3-rutinoside.
- **Others:** triterpenes, smaller terpenes (monoterpenoids, sesquiterpenoids and diterpenoids) and reducing sugars.

4. Medicinal uses (Indications)

A) Cough sedative.

B) Relief irritation of the throat in colds and catarrh of the upper respiratory tract.

5. Herbal preparations correlated to medicinal use

Combination of guava liquid extract (Extraction solvent: warm water), tilia liquid Extract (Extraction solvent: warm water), thyme liquid extract (Extraction solvent: ammonia solution: glycerol: ethanol: water), bitter fennel oil and honey.

Herbal preparations are in pharmaceutical dosage forms. The pharmaceutical form should be described by the pharmacopoeia full standard term.

6. Posology and method of administration correlated to medicinal use

Adolescents, adults and elderly:

- Combination of 100-150 mg of guava extract, 100-150 mg of tilia extract, 100-150 mg of thyme extract, 1-1.5mg of fennel oil and 666-999 mg of honey, 2 times daily.
- Combination of 73.2mg of guava extract, 180mg of tilia extract, 180 mg of thyme extract, 0.3 mg of fennel oil and 1020 mg of honey, 3 times daily.

Duration of use:

- Not to be used more than 2 weeks.
- If the symptoms persist longer than one week during the use of the medicinal product, a doctor or a pharmacist should be consulted.

Method of administration: Oral.



7. Contraindications

- Hypersensitivity to active substance(s) or other plants of the same families.

8. Special warnings and precautions for use

- If the symptoms worsen or if dyspnea, fever or purulent sputum occurs, during the use of the medicinal product, a doctor or a pharmacist should be consulted (19).

9. Interactions with other medicinal products and other forms of interaction

- **Anticonvulsants:** Fennel may increase the risk of seizures; avoid concurrent use (20).
- **Ciprofloxacin:** The product may affect the absorption, distribution, and elimination of ciprofloxacin. If the two are used concurrently, their dosages should be separated by at least 2 hours (20-22).

10. Fertility, pregnancy and lactation

- Safety during pregnancy and lactation has not been established. In the absence of sufficient data, the use during pregnancy and lactation is not recommended.
- No fertility data available.

11. Effects on ability to drive and use machines

- No studies on the effect on the ability to drive and use machines have been performed.

12. Undesirable effects

- Allergic reactions, affecting the skin, the respiratory and gastrointestinal system, seizures, hallucinations, nausea, vomiting or anorexia may occur (20).
- Gastric disorders may occur (19).
- If adverse reactions occur, a doctor or a pharmacist should be consulted.



13. Overdose

- No case of overdose has been reported

14. Relevant biological properties

- Not required as per Egyptian guidelines for registration of herbal medicines.

15. Additional information

-

16. Date of compilation/last revision

21/05/2026.



References

1.	WHO monographs on selected medicinal plants (2007). Monographs on selected medicinal plants, 4 , 127-139.
2.	Assessment Report on <i>Tilia cordata</i> Miller, <i>Tilia platyphyllos</i> Scop., <i>Tilia x vulgaris</i> Heyne or Their Mixtures, Flos (2012). EMA/HMPC/337067/2011. Committee on Herbal Medicinal Products (HMPC)
3.	Barnes, J., Anderson, L. A. and Phillipson, J. D. (2007). Herbal Medicines, 3 rd edition. Published by the Pharmaceutical Press. ISBN 978 0 85369 623 0.
4.	Community Herbal Monograph on <i>Tilia cordata</i> Miller, <i>Tilia platyphyllos</i> Scop., <i>Tilia x vulgaris</i> Heyne or Their Mixtures, Flos (2012). EMA/HMPC/337066/2011. Committee on Herbal Medicinal Products (HMPC).
5.	Natural Health Product, Linden, Small Leaf – <i>Tilia cordata</i> (2017). Health Canada, http://webprod.hc-sc.gc.ca/nhp/identif/identif.do?atid=linden.tilleul.smallleaf.Petitesfeuilles &lang=eng .
6.	https://www.gbif.org/species/5341442
7.	https://www.gbif.org/species/7793938
8.	WHO monographs on selected medicinal plants (2007). Monographs on selected medicinal plants, 3 , 136-144.
9.	WHO monographs on selected medicinal plants (2007). Monographs on selected medicinal plants, 3 , 259-266
10.	Community Herbal Monograph on <i>Thymus vulgaris</i> L. and <i>Thymus zygis</i> L., Herba. EMA/HMPC/342332/2013. Committee on Herbal Medicinal Products (HMPC).
11.	European Union Herbal Monograph on <i>Foeniculum vulgare</i> Miller subsp. <i>vulgare</i> var. <i>vulgare</i> , fructus (2024). Committee on Herbal Medicine Products (HMPC).
12.	Kumar, M., Tomar, M., Amarowicz, R., Saurabh, V., Nair, M. S., Maheshwari, C., Sasi, M., Prajapati, U., Hasan, M., Singh, S., Changan, S., Prajapat, R. K, Berwal, M. K. and Satankar, V. (2021). Guava (<i>Psidium guajava</i> L.) leaves: Nutritional composition, phytochemical profile, and health-promoting bioactivities. <i>Foods</i> , 10 , 752.
13.	Karawya, M. S., Abdel Wahab, S. M., Hifnawy M. S., Azzam S. M. and EL- Gohary H. M. (1999). Essential oil of Egyptian Guajava leaves. <i>Egypt. J. Pharm. Sci.</i> , 40 (2), 209-217.



14.	El-Ahmady, S. H, Ashour, M. L. and Wink, M. (2013). Chemical composition and antiinflammatory activity of the essential oils of <i>Psidium guajava</i> fruits and leaves. <i>The Journal of Essential Oil Research</i> , 25 (6), 475–481. http://dx.doi.org/10.1080/10412905.2013.796498 .
15.	Evans, W. C., Evans, D., & Trease, G. E. (2009). <i>Trease and Evans Pharmacognosy</i> (16 th ed.). Edinburgh; New York: Saunders/Elsevier. ISBN 9780702029332.
16.	Fitsiou, I., Tzakou, O., Hancianu, M. and Poiata, A. (2007). Volatile constituents and antimicrobial activity of <i>Tilia tomentosa</i> Moench and <i>Tilia cordata</i> Miller oils. <i>Journal of Essential Oil Research</i> , 19 , 2, 183-185, DOI: 10.1080/10412905.2007.9699255.
17.	Sarfaraz, D., Rahimmalek, M. and Saeidi, G. (2021). Polyphenolic and molecular variation in <i>Thymus</i> species using HPLC and SRAP analyses. <i>Sci. Rep.</i> , 11 , 5019.
18.	Faudale, M., Viladomat, F., Bastida, J., Poli, F. and Codina, C. (2008). Antioxidant activity and phenolic composition of wild, edible, and medicinal fennel from different Mediterranean countries. <i>J. Agric. Food Chem.</i> 56 , 1912–1920.
19.	Natural Health Product Peppermint – <i>Mentha piperita</i> (2018). Health Canada, http://webprod.hc-sc.gc.ca/nhp/ndp-bdipsn/monoReq.do?id=144
20.	Skidmore-Roth, L. (2010). <i>Mosby's Handbook of Herbs & Natural Supplements</i> . 4 th ed. ISBN 9780323057417.
21.	https://www.rxlist.com/fennel/supplements.htm .
22.	Duke, J. A. (2002). <i>Handbook of Medicinal Herbs</i> . 2nd ed. CRC Press. ISBN: 978084931284.