

The Egyptian Non-prescription Medicinal Products (OTC) List

1-Approved Active Ingredients' List May 2021

| No. | Generic name | Dosage form or Route | Notes |
|-----|--|----------------------|---|
| 1 | Aceclofenac | Topical | |
| 2 | Minerals | Oral, topical | |
| 3 | Vitamin A | Oral, topical | <ul style="list-style-type: none"> • Accepted within daily dietary intake in multi-vitamins products, • in case single product with high doses and for specific indication it should be POM |
| 4 | Vitamin D | Oral, topical | <ul style="list-style-type: none"> • Accepted within daily dietary intake in multi-vitamins products, • in case single product with high doses and for specific indication it should be POM |
| 5 | Vitamin E | Oral, topical | <ul style="list-style-type: none"> • Accepted within daily dietary intake in multi-vitamins products, • in case single product with high doses and for specific indication it should be POM |
| 6 | Vitamin K | Oral, topical | <ul style="list-style-type: none"> • Accepted within daily dietary intake in multi-vitamins products, • in case single product with high doses and for specific indication it should be POM |
| 7 | Vitamin B | Oral, topical | |
| 8 | Vitamin C | Oral, topical | |
| 9 | Aluminium Hydroxide | Oral | • Adequately labeling mentioning impaired renal function precautions |
| 10 | Ambroxol | Oral | |
| 11 | Antazoline | Topical | |
| 12 | Aspirin (75,81,100,150,162,250, 300,320,325) | Oral | • Concantrations above 325mg POM |
| 13 | Benproperine | Oral | • May cause dizziness |

| No. | Generic name | Dosage form or Route | Notes |
|-----|--|--|---|
| 14 | Benzocaine | Topical spray, Oral spray & gel & lozenges | <ul style="list-style-type: none"> • Adequate labeling mentioning Methemoglobinemia warning. • Used only in the following age groups: <ul style="list-style-type: none"> - Dental gel: From 2 years, only with medical supervision - Oral solution: From 6 years - Dental spray: From 6 years - Lozenges: From 12 years |
| 15 | Bisacodyl | Oral, rectal | |
| 16 | Bromhexine | Oral | |
| 17 | Brompheniramine | Oral | <ul style="list-style-type: none"> • Use of this drug is completely prohibited in children less than 2 years. • Use of this drug is prohibited in children less than 6 years without medical supervision. |
| 18 | Butenafine | Topical | |
| 19 | Caffeine | Oral | <ul style="list-style-type: none"> • In combination products only. |
| 20 | Calamine | Topical | |
| 21 | Calcium carbonate, Magnesium carbonate | Oral | <ul style="list-style-type: none"> • Caution should be generally exercised in the case of patient with impaired renal function. |
| 22 | Camphor | Topical | |
| 23 | Carbinoxamine | Oral | <ul style="list-style-type: none"> • Contraindicated in patients less than 2 years. • Antihistamines may cause drowsiness. Use caution when driving or using machine. |
| 24 | Carboxymethylcellulose | Eye drops | |

| No. | Generic name | Dosage form or Route | Notes |
|-----|--------------------------|----------------------|---|
| 25 | Cetirizine | Oral | <ul style="list-style-type: none"> • Contraindicated in infants less than 6 month. • In chronic conditions, it should be used under medical supervision. • May cause drowsiness; Use caution when driving a motor vehicle or operating machinery |
| 26 | Chlorhexidine Gluconate | Topical | |
| 27 | Chlorpheniramine Maleate | Oral | <ul style="list-style-type: none"> • Use of this drug is completely prohibited in children less than 2 years. Use of this drug is prohibited in children less than 6 years without medical supervision. • May cause drowsiness; caution when driving a motor vehicle or operating machinery. • In chronic cases, it must be used under medical supervision. |
| 28 | Cinchocaine | Topical | |
| 29 | Citric Acid | Oral | |
| 30 | Clemastine | Oral | <ul style="list-style-type: none"> • Sedation side effects should be clearly labeled. • In chronic conditions, it must be used under medical supervision. |
| 31 | Clotrimazole | Topical | |
| 32 | Cromoglicic acid | Nasal | |
| 33 | Cromolyn sodium | Nasal | <ul style="list-style-type: none"> • Must not be used in children under 2 years unless directed by a doctor. (to include or to not include age limits) |
| 34 | Crotamiton | Topical | |
| 35 | Cyproheptadine | Oral | <ul style="list-style-type: none"> • Sedation side effects should be clearly labeled • Take care in geriatric because of atropine like effects. |
| 36 | Desloratadine | Oral | <ul style="list-style-type: none"> • Antihistamines may cause drowsiness. Use caution when driving or using machine. |

| No. | Generic name | Dosage form or Route | Notes |
|-----|---------------------|----------------------|---|
| 37 | Dexbrompheniramine | Oral | <ul style="list-style-type: none"> • Antihistamines may cause drowsiness. Use caution when driving or using machine. • In case of chronic cases, it must be used under medical supervision. |
| 38 | Dexchlorpheniramine | Oral | <ul style="list-style-type: none"> • Sedation side effects should be clearly labeled (daily med) • In case of chronic cases, it should be used under medical supervision. |
| 39 | Dexpanthenol | Topical | |
| 40 | Diclofenac Sodium | Topical | |
| 41 | Dicyclomine | Oral | |
| 42 | Dihydroxy Aluminum | Oral | <ul style="list-style-type: none"> • Adequately labeling mentioning impaired renal function precautions • Used with extreme caution and only in necessary cases of ascites resulting from liver failure, hypertensive patients and heart diseases. |
| 43 | Dimethicon | Oral & Topical | |
| 44 | Dimetindene maleate | Oral & Topical | <ul style="list-style-type: none"> • Antihistamines may cause drowsiness. Use caution when driving or using machine. • Sedation side effects should be clearly labeled • Not used in children less than 1 year. • Topical anti-histaminic may cause hypersensitivity; avoid in eczema; photosensitivity Not recommended for longer than 3 days |
| 45 | Diphenhydramine | Oral & Topical | <ul style="list-style-type: none"> • Sedation side effects should be clearly labeled. • Topical anti-histaminic may cause hypersensitivity; avoid in eczema; Not recommended for longer than 3 days in photosensitivity • Use of this drug is completely prohibited in children less than 2 years. Use of this drug is prohibited in children less than 6 years without medical supervision. |
| 46 | Docosanol | Topical | |
| 47 | Domiphen bromide | Oral | |

| No. | Generic name | Dosage form or Route | Notes |
|-----|--------------------------------|--------------------------------|---|
| 48 | Doxylamine succinate | Oral | <ul style="list-style-type: none"> • In chronic cases, it should be used under medical supervision. • May cause drowsiness. Use caution when driving or using machinery. • Use of this drug is completely prohibited in children less than 2 years. Use of this drug is prohibited in children less than 6 years without medical supervision • Use of this drug in pregnancy is prohibited as it may cause birth defects. |
| 49 | Doxylamine succinate, Caffeine | Oral | <ul style="list-style-type: none"> • In chronic cases, it should be used under medical supervision. • May cause drowsiness. Use caution when driving or using machinery. • Use of Doxylamine is completely prohibited in children less than 2 years. Use of this drug is prohibited in children less than 6 years without medical supervision • Use of Doxylamine in pregnancy is prohibited as it may cause birth defects. |
| 50 | Etofenamate | Topical | |
| 51 | Fexofenadine | Oral | <ul style="list-style-type: none"> • Not used in children less than 2 years. |
| 52 | Folic acid | Oral (< 1 mg) | |
| 53 | Guaifenesin | Oral & rectal | <ul style="list-style-type: none"> • Use of this drug is completely prohibited in children less than 2 years. Use of this drug is prohibited in children less than 6 years without medical supervision. |
| 54 | Hexetidine | Mouth Wash | |
| 55 | Hydrocortisone | Topical | Prolonged use of corticosteroids may increase the incidence of secondary infection. |
| 56 | Hyoscine | Oral | |
| 57 | Ibuprofen | Topical | |
| 58 | Indomet(h)acin | Topical (maximum strength 1 %) | |

| No. | Generic name | Dosage form or Route | Notes |
|-----|--|---|--|
| 59 | Iron | Oral | <ul style="list-style-type: none"> • In combinations only • ADR: Constipation, darkening of stools, Dental discoloration, Urine discoloration. |
| 60 | Lactulose | Oral | |
| 61 | Lidocaine | Topical | Lidocaine 2 % products are not approved to treat teething pain as use in infants and young children can cause serious harm, including death |
| 62 | Loratadine | Oral | <ul style="list-style-type: none"> • In chronic cases, it should be used under medical supervision. • May cause drowsiness. Use caution when driving or using machinery. |
| 63 | lysosyme HCl , Dequalinium Chloride | Lozenges | |
| 64 | Magaldrate | Oral | |
| 65 | Magnesium Hydroxide | Oral | |
| 66 | Magnesium Trisilicate | Oral | |
| 67 | Mebevirin | Oral | |
| 68 | Meclizine | Oral & rectal | • The use of this drug is contraindicated in children under 2 years of age, and in children 2-12 years is allowed only under medical supervision. |
| 69 | Menthol | Topical | |
| 70 | Mepyramine maleate | Oral & Topical | <ul style="list-style-type: none"> • For the oral dosage forms: 1- In chronic cases, it should be used under medical supervision. 2- May cause drowsiness. Use caution when driving or using machinery. |
| 71 | Methyl salicylate | Topical | |
| 72 | Miconazole | Topical & Oral Gel (Maximum strength 2%) | |
| 73 | Minoxidil sulphate | Topical only except gel | • Maximum strength 5% for use as OTC |

| No. | Generic name | Dosage form or Route | Notes |
|-----|------------------------|---|--|
| 74 | Naphazoline | Nasal (Maximum strength 0.05%) & Ophthalmic (Maximum strength 0.015%) | <ul style="list-style-type: none"> • Treatment duration should not exceed 5 days; frequent or prolonged use may cause nasal congestion to recur or worsen. [FDA & technical committee decision] • As a single agent it should not be used in children <12 years as a single agent • As a combination product with prednisolone it should not be used in children < 15 years. |
| 75 | Naproxen | Topical | |
| 76 | Nicotine | Oral Gum | |
| 77 | Nonoxynol-9 | Vaginal suppository | <ul style="list-style-type: none"> • Take care of risk of infection (STD) Std: Sexually transmitted disease. |
| 78 | Noscapine | Oral | <ul style="list-style-type: none"> • Maximum single dose 30mg, maximum daily dose 150mg. |
| 79 | Oral rehydration salts | powder for oral solution | |
| 80 | Oxetacaine | Oral | <ul style="list-style-type: none"> • Maximum dose 10mg , Maximum daily dose 30mg |
| 81 | Oxymetazoline | Nasal | <ul style="list-style-type: none"> • Treatment duration should not exceed 3 days; frequent or prolonged use may cause nasal congestion to recur or worsen. • used for adults and children over 12 years of age • Maximum Strength 0.05% & 0.025% |
| 82 | Paracetamol | All dosage forms except for: 1.Modified release tablets 2.Prolonged release tablets 3.Injection | <ul style="list-style-type: none"> • Adequately labeling mentioning hepatitis warning • Maximum dose 1g, maximum daily dose 4g for adult & conc 500mg , 1gm |
| 83 | Permethrin | Topical only 1% shampoo Anti-lice 2.5% cream , emulsion, lotion , ointment Anti-scabies | <ul style="list-style-type: none"> • leave on hair for 10 min (but no longer), use for a single application but may repeat 7 days after first treatment if lice still present (uptodate) |
| 84 | Phenylephrine | oral | <ul style="list-style-type: none"> • Not use in children less than 6 years , present in EDA as oral combinations but present as single component eye drops, ear , ophthalmic |

| No. | Generic name | Dosage form or Route | Notes |
|-----|--|-----------------------------|--|
| 85 | Pheniramine maleate, Ammonium chloride | Oral | • May cause drowsiness, caution should be taken when driving or operating machinery. |
| 86 | Picosal phosphate (Na) | Oral drops , tablets | • Short term use only, Maximum dose 7.5mg per day as sodium picosulfate hydrate for adults and adolescents 15 years of age and over. For children between 11 and 14, maximum dose 4.5mg per day. General sale if for adults and children over 10 years. Maximum strength 0.1%, maximum dose 15mg, maximum daily dose 15mg, (AESGP) |
| 87 | Piperonyl butoxide | Topical only | |
| 88 | Piroxicam | Topical only | • Maximum strength 0.5% in adults and children over 12 years, for a maximum of 7 days. UK. , AESGP |
| 89 | Polyethylene glycol 3350 | Oral | • Can't be used for more than 7 consecutive days, Indicated in temporary constipation in adults and children over 6 months. (France AESGP) |
| 90 | Polymyxin B | Topical only | |
| 91 | Povidone-Iodine | Topical only | |
| 92 | Pramocaine | Topical only | |
| 93 | Promethazine | Oral | • Use is completely prohibited in children < 2 years, Use in children < 6 years must only be under medical supervision |
| 94 | Propanthelin | Topical only | |
| 95 | Pseudoephedrine | Oral only | - 30 mg/5ml: Contraindicated in children less than 12 years old. - 15 mg/5ml: Contraindicated in pediatrics less than 2 years old and from 2-12 years old used under medical supervision. |
| 96 | Psyllium Muciloid (Ispaghula) | Oral | • Administration precautions should be adequately labeled |
| 97 | pyrethrins | Topical | |

| No. | Generic name | Dosage form or Route | Notes |
|-----|------------------------|---|--|
| 98 | Racecadotril | Oral , Powder,hard gelatin capsules,sachets(granules for oral suspension) | |
| 99 | Selenium | Oral tablets | • Only in Combination |
| 100 | Simethicon | Oral(Chewable tablets ,suspension,oral drops) | |
| 101 | Sodium Bicarbonate | Oral | Only in Combination يستخدم بحذر للمرضى المطلوب منهم الإقلال من استخدام الصوديوم (الملح) مرضى القلب والفشل الكلوي والاستسقاء الناتج عن الفشل الكبدي |
| 102 | Sodium Chloride | nasal spray ,nasal gel & ophthalmic solution as eye drops | |
| 103 | Sodium Chromoglicate | Eye drops | • Maximum strength 2% • OTC indication: only for the relief and treatment of seasonal and perennial allergic conjunctivitis |
| 104 | Terbinafine | Topical (Cream,gel,topical solution, spray) | |
| 105 | Triamcinolne oral base | Oral paste | • For painful ulcer. • OTC only in those aged 18 years and over. |
| 106 | Tribneoside | Topical | |
| 107 | Triprolidine | Oral(Tablets ,syrup) | • Contraindicated in children less than 2 years. • Must be used under medical supervision in children less than 6 years. • Must be used under medical supervision in chronic cases. • Antihistamines may cause drowsiness. Use caution when driving or using machinery. • Take care in geriatric because of atropine like effects. |
| 108 | Xylometazoline | Nasal drops | • Maximum strength : up to 0.1% • Prohibited in children < 6 years, and • pharmacology warning. |

| No. | Generic name | Dosage form or Route | Notes |
|-----|---|-----------------------|--|
| 109 | Zinc Sulphate | Oral | |
| 110 | Miconazole Nitrate 2% Hydrocortisone Micronized 1% Cream | Topical | |
| 111 | Fexofenadine Hydrochloride 60mg +Pseudoephedrine Hydrochloride 120mg | Oral | • Used only in those aged 2 years and over. |
| 112 | Bacillus Clausii spores 2 Billion/5ml | Oral | |
| 113 | Paracetamol 500 mg Caffeine 65mg | Oral | |
| 114 | Sodium alginate 500mg/10ml, Sodium Bicarbonate 267mg/10ml, Calcium Carbonate 160mg/10ml | Oral sachet | • Use with caution in patients on sodium-restricted diet for example in patients with hypertension, heart disease, renal failure and ascites from hepatic failure. |
| 115 | Sodium alginate 500mg/5ml, Sodium Bicarbonate 100mg/5ml | Oral suspension | • Use with caution in patients on sodium-restricted diet for example in patients with hypertension, heart disease, renal failure and ascites from hepatic failure. |
| 116 | Sodium alginate 250mg, Sodium Hydrogen carbonate 133.5, Calcium carbonate 80mg | Oral Chewable Tablets | • Use with caution in patients on sodium-restricted diet for example in patients with hypertension, heart disease, renal failure and ascites from hepatic failure. |
| 117 | Beta-Sitosterol 0.25g/100g | Topical ointment | |

2-Approved Drug Products by Trade Names till February 2025

List of Newly OTC switch-approved products According to Guidelines for Classification as Nonprescription Medicinal Products (OTC)

February 2025

| | Trade Name | Active Ingredient | Approved Pack Limit |
|---|---------------------------------------|--|--|
| 1 | Levohistam Film Coated Tablets | Levocetirizine Dihydrochloride 5mg | Carton box contain 1, 2 or 3 (Al/PVC) strips, each of 10 film coated tablets + insert leaflet |
| 2 | Levohistam 5mg/10ml Syrup | Levocetirizine Dihydrochloride 5mg /10ml | Carton box containing 135ml amber PET plastic bottle contains 120 ml solution with HDPE plastic closure with compressible (LDPE) plastic foam liner and red tamper evident ring and 20 ml measured plastic cup with insert leaflets. |
| 3 | Levohistam 5mg/1ml oral drops | Levocetirizine Dihydrochloride 5mg /1ml | Carton box contains amber (Type III) sodalime-silica glass bottle containing 10 ml or 20 ml solution with white (HDPE) plastic pilfer proof cap, (LDPE) internal foam liner and attached with white LDPE plastic 1ml dropper attached to HDPE plastic nozzle with an insert leaflet |
| 4 | Levcet Melt in mouth tablets | Levocetirizine Dihydrochloride 5 mg | Carton box containing 1 , 2 (Al/Opaque PVC / PVDC) strip each of 10 tablets & an inner leaflet . |
| 5 | Levcet Oral Solution | Each 5 ml contains: Levocetirizine Dihydrochloride 2.5 mg | Carton box containing amber PET (Polyethylene terephthalate) bottle containing 120 ml (capacity 149.6 ± 3 ml) oral solution with white polypropylene closure cap containing white solid PE foam (low density polyethylene and carbon dioxide) inside with graduated transparent polypropylene plastic measuring cup and an insert leaflet . |
| 6 | Antopral 20 mg | Pantoprazole sesquihydrate 22.55 mg equivalent to Pantoprazole 20 mg | Carton box containing 2 strips (Al/Al) each of 7 gastro-resistant tablets and inner leaflet. |
| 7 | Rani-F Effervescent Granules | Famotidine 0.02 gram /sachet | Carton box containing 6,12 or 60 aluminum laminated foil sachets each sachet consists of 4 layers from inside to outside (LDPE/Aluminium/LDPE/paper), each sachet contains 5 gm effervescent granules with insert leaflet. |

| | Trade Name | Active Ingredient | Approved Pack Limit |
|----|---|---|--|
| 8 | Solofresh sterile Ophthalmic Solution | Sodium Hyaluronate 2 mg / ml | Carton box containing (LDPE) plastic bottle containing 10 ml solution with white LDPE plastic self-dropper covered with white PP plastic cover + insert leaflet |
| 9 | Nasacort AQ Nasal Spray Aqueous Suspension | Triamcinolone Acetonide 55mcg (0.055% w/w or mg/actuation) | A carton box containing a 20ml high density polyethylene (HDPE) bottle fitted with a metered-dose spray pump unit, which contains 16.5gm suspension (with 9.075mg triamcinolone acetonide) providing 120 actuation & an inner leaflet. |
| 10 | Maalox Control Gastro-resistant tablets | Pantoprazole 20 mg as sodium sesquihydrate 22.575 mg | Carton box contains one (Alu/Alu) blister of 14 gastro-resistant tablets with insert leaflet. |
| 11 | Enterogermina 4 billion / 5 ml | Each 5 ml vial contains : Spores of poly-antibiotic resistant B.clausii 4 billion | Cardbord cartons containing 10 low density polyethylene bottles produced by plastic extrusion each containing 5 ml oral suspension and inner leaflet . |
| 12 | Essential Capsule 300 mg | Phospholipids from soya Beans 76% (3 sn-phosphatidyl)choline 300 mg | Carton box containing 3 Aluminum / Perlalux Tristar ultra (Transparent PVC /PE / PVDC) blisters Each of 10 H.G.C. +Inner leaflet. |
| 13 | Melacryst Oro-dispersible film | Melatonin 1.5 mg | Carton box containing 10,20,30 Oro-dispersible films ,each one film packed in a four layer pouch form outside to inside (paper ,LDPE , Aluminium ,LDPE) with insert leaflet. |
| 14 | Hemoclar topical cream | Each 1 gram contains : Pentosan sulphuric polyester 5 mg | Carton box containing printed sealed collapsible aluminium tube of 40 gm cream closed with HDPE cap with insert leaflet. |
| 15 | Brufen 200 mg Sugar Coated tablet | Ibuprofen 200 mg | Carton box containing 3 (Al/transparent PVCs)strips, each of 10 ssugar-coatedtablets and an insert leaflet. |
| 16 | Brufen syrup | Ibuprofen 100mg/5ml Syrup | Carton box containing an amber glass (type III) bottle of 110 or 150 ml syrup and an insert leaflet. |
| 17 | Brimillergy Ophthalmic solution | Each 1 ml solution contains : Brimonidine Tartrate 0.25 mg | Carton box containing 10 ml white plastic bottle (LDPE) contains 7.5 ml solution with (LDPE) dropper and white (PP) plastic cover with insert leaflet . |
| 18 | Notussil Oral Suspension | Each 5 ml of oral suspension contains : Cloperastine Fendizoate 35.4 mg equivalent to Cloperastine HCl 20 mg | -Carton box containing polyethylene terephthlate amber glass (Type III) bottle (its capacity 79.7 ± 2 ml) containing 60 ml and pamphlet . - Carton box containing polyethylene terephthlate amber glass (Type III) bottle (its capacity $140 \text{ ml} \pm 2.8 \text{ ml}$) containing 120 ml and pamphlet. |

| | Trade Name | Active Ingredient | Approved Pack Limit |
|----|--|--|--|
| 19 | Gastrazole Capsules | Each 240 mg pellets contain : Omeprazole 20 mg | Carton box contains HDPE plastic bottle lined with (Al / transparent colorless LDPE) from outside to inside induction seal containing 14 hard gelatin capsules and LDPE white plastic capsules containing white silica gel desiccant covered with protective paper layers with HDPE outer plastic screw cap and HDPE inner plastic cap lined with protective layers of paper with insert leaflet. |
| 20 | Evastine Film Coated Tablets | Ebastine 10 mg | Carton box containing 1 or 2 (Al / transparent PVC) strips , each of 10 film coated tablets with insert leaflets. |
| 21 | Nizapex Topical Shampoo | Each 1 gm contains : Ketoconazole 20 mg | Carton box containing a plastic (shoulder material : HDPE & sleeve material : LDPE) tube of 80 ml shampoo & closed with polypropylene cap with insert leaflet. |
| 22 | Ticanase Nasal spray | Each actuation contains : Fluticasone Propionate 50 mcg | Carton box containing amber glass type (III) bottle of capacity 15 ml containing 7 gm suspension with white polypropylene nasal sprayer head delivers 60 puffs ,capped with transparent polypropylene cap and INOX pump with insert leaflet. |
| 23 | Movicol Powder for oral solution in sachets | Each 13.8 gm sachet contains : -Macrogol 3350 13.125 gm -Sodium Bicarbonate 0.1785 gm -Sodium Chloride 0.3507 gm -Potassium Chloride 0.0466 gm | Carton box containing 20 sachets ,each of 13.8 gm powder made of laminate consisting of four layers (Paper /LPDE / LA /LDPE) assembled in pairs duplex separated by perforation line with insert leaflet . |
| 24 | Radian Massage cream Topical Cream | Camphor 1.410% W/W + Camphor oil white 0.320% W/W + Capsicum Oleoresin 0.005% W/W + Menthol 2.540% W/W +Methylsalicylate 0.420% W/W | Carton box containing lacquered aluminum tube with aluminum seal of 40gm or 100gm cream with (HDPE) screw cap inner leaflet. |
| 25 | Bronchicum Elixir | Each 5 ml contains: Thyme fluid extract 0.325 g Primula root fluid Extract 0.162 g | |

| | Trade Name | Active Ingredient | Approved Pack Limit |
|----|---|--|---|
| 26 | Movicol Pediatric Plain | Each 6.9 gm sachet contains: -Macrogol 3350 6.563 gm -Sodium Chloride 175.4 mg -Sodium Hydrogen Carbonate 89.3 mg -Potassium Chloride 25.1 mg | Carton box containing 30 sachets, each of 6.9 gm powder made of laminate consisting of four layers (paper/LDPE/AL foil/LDPE) with insert leaflet. |
| 27 | Stomatect Oral suspension | Each 5 ml contains : Potassium Bicarbonate 100 mg Sodium Alginate 500 mg | Carton box containing amber glass type III containing 150 or 300 ml suspension with white circular polypropylene cap havinf LDPE red ring at the edge and contain a foam PVDC stopper at upside with insert leaflet . |
| 28 | Sinupret Coated Tablets | Gentian root Gentiana Radix 6 mg ,Primrose flowers (Primulae flows) with calyx 18 mg ,Common sorrel herb (Rumicis Herba) 18 mg , Elder flowers (Sambuci flows) 18 mg ,Shop vervain wort (Verbenae herba) 18 mg | Carton box containing (Al/ Transparent PVC / PVDC) strips ,each of 25 coated tablets and inner leaflet. |
| 29 | Stopadol Night Film Coated Tablets | Paracetamol 500 mg + Diphenhydramine Hydrochloride 25 mg | Carton box containing 1 , 2 or 3 (Aluminum , transparent PVC) strips , each of 10 film coated tablets with insert leaflet . |
| 30 | Pentamix Syrup | Each 5 ml contains: -Tilia flowers aqueous extract 0.0625 gm -Guava Leaves aqueous extract 0.125 gm -Bitter Fennel fruits aqueous extract 0.05 gm -Eucalyptus leaves aqueous extract 0.025 gm -Thymus leaves aqueous extract 0.05 gm | Carton box contains amber glass bottle (type II) with white plastic cap with polyethylene foam and inner leaflet. |
| 31 | Nercafix Oro-dispersible Film | Caffeine anhydrous 40 mg | Carton box contains 10 or 20 or 30 oral dispersible films , each film packed in four layer pouch , from outside to inside (Paper , LDPE ,Aluminum & LDPE) with insert leaflet. |
| 32 | Algason Massage Cream | Each 1 g contains: Diethylamine Salicylate 0.1 gm+ Camphor 0.014 gm +Menthol 0.025 gm | Carton box inside it printed aluminum tube of 40 g cream with Al seal and white (HDPE) cap with insert leaflet. |

| | Trade Name | Active Ingredient | Approved Pack Limit |
|----|--|---|---|
| 33 | Glycerin for adults Rectal suppositories | Glycerin 1.4 gm | Carton box containing one white opaque (PVC / LDPE) strip containing 5 suppositories with insert leaflet . |
| 34 | Glycerin for infants Rectal suppositories | Glycerin 0.7 gm | Carton box containing one white opaque (PVC / LDPE) strip containing 5 suppositories with insert leaflet. |
| 35 | Miopan Plus Oral suspension | Each 5 ml suspension contains: Magaldrate (Anhydrous) 0.54 gm Simethicone 0.04 gm | Carton box containing amber brown plastic (PET) bottle containing 100 ml suspension with HDPE plastic cap with insert leaflet. |
| 36 | Digicomag Chewable Tablets | Calcium Carbonate 680 mg Simethicone 25 mg Magnesium Carbonate (Heavy) 80 mg | Carton box containing 3 (AL/Transparent PVDC) blisters each contains 10 chewable tablets with insert leaflet. |
| 37 | Moov massage Topical cream | Each 1 g contains: Oleoresin capsicum 35% 0.42mg Camphor 12 mg Menthol 12.1mg Methyl salicylate 4.8 mg Oil of camphor 1.8 mg | Carton box containing AL laminated tube of 40gm or 100gm cream with (HDPE) screw cap and inner leaflet |
| 38 | Chitocal Hard Gelatin Capsules | Chitosan Powder 500 mg (Standardized deacetylation degree NLT 70% and NMT 90%) *Gymnema Sylvester leaves powder extract 50 mg (Standardized to 25% Gymnemic acid) *Vitamin C (ascorbic acid) 100 mg | Carton box containing 2,3,6 or 8 (Al / transparent PVC) strips each of 10 H.G.C and an inner leaflet. |
| 39 | Quick – Slim Hard Gelatin Capsules Containing Pellets | Each Capsule contains 240 mg of 50% Orlistat Pellets containing: Orlistat 120 mg | Carton box contains 1 or 3 (Al / transparent colorless PVC) strips of 10 hard gelatin capsules with insert leaflet. |
| 40 | Emla Topical Cream | Each 1 gm contains: Lidocaine 25 mg Prilocaine 25 mg | Carton box containing 5 tubes ,each of 5 gm cream ,each tube is a collapsible aluminum tube closed with membrane ,internally coated with epoxy resine protective lacquer ,with polypropylene cap with spike for perforation of the membrane .With insert leaflet. |

| | Trade Name | Active Ingredient | Approved Pack Limit |
|----|---|--|---|
| 41 | Ivyrospan Syrup | Each 5 ml contains: Dried Ivy leaf extract 35 mg Standardized as hederacoside C (50 mg/g-250 mg/g) | Carton box containing amber (type III) glass bottle containing 100 ml syrup with white polypropylene cap containing white solid IDPE & Carbon dioxide foam with safety seal and transparent (HDPE) plastic measuring cup & inner leaflet. |
| 42 | Agnucaston Film Coated Tablets | Dry Extract from Agnus castus fruit 20 mg Assay Herbal preparation : Casticin , 0.05 – 0.25 [% (m / m)] | Carton box containing 3 or 6 (Al / transparent PVC / PVDC) strips , each of 10 film coated tablets + inner leaflet. |
| 43 | Klimadynon ® Film Coated Tablets | Dry extract of Cimicifuga racemosa 2.8 mg | Carton box containing 1, 2 or 3 (Al / colorless PVC / PVDC) strips ,each of 10 film coated tablets + inner leaflet. |
| 44 | Imoflora Tablet | Loperamide Hydrochloride 2 mg Simethicone 125 mg | Carton box containing one (AL / opaque PVC) strip of 10 tablets and an inner leaflet. |
| 45 | Norhinose Nasal Spray | Each metered dose contains: Mometasone Furoate Monohydrate 0.052 mg equivalent to Mometasone Furoate 0.05 mg. | Carton box containing an amber glass type (III) 15 ml capacity glass bottle containing 9.7 gm suspension of 60 doses or 18 gm suspension of 120 doses with a white polypropylene plastic nasal sprayer capped with lower density polyethylene (LDPE) dip tube surrounded by polypropylene housing cap capped with LDPE plastic transparent cap and an insert leaflet. |
| 46 | Algesal Suractive Topical Cream | Each 100 g contains: Diethylamine Salicylate 10 g Myrtecaine (nopoxamine) g 1 | Carton box contains collapsible AL tube internally coated with epoxy and melamine film varnished the mastic layer on the bottom twice varnish with araldite lithographic pattern cylindrical part containing 40 g homogenous cream closed with “HDPE” screw cap + insert leaflet. |
| 47 | Supermag B6 Film Coated Tablets | Magnesium lactate Dihydrate 470 mg equivalent to Magnesium 48 mg -Pyridoxin Hydrochloride (Vitamin B6) 5 mg | Carton box contains 1 , 2 or 3 (Al / transparent (PVC / PVDC) blister , each of 10 film coated tablets with insert leaflet. |
| 48 | Megafen Tablets | Ibuprofen 200 mg Paracetamol 325 mg | Carton box containing 1 ,2 or 3 (Al / transparent PVC) blisters , each of 10 tablets + an insert leaflet. |
| 49 | Orly 60 mg Hard Gelatin capsules containing pellets | Each hard gelatin capsule contains 120 mg orlistat pellets 50%,equivalent to: Orlistat 60 mg | Carton box containing 1 ,2 , 3 , 4 , 5 or 6 (AL / AL) strips ,each of 10 hard gelatin capsules with insert leaflet. |

| | Trade Name | Active Ingredient | Approved Pack Limit |
|----|--|---|---|
| 50 | Nasonex 50 mcg / actuation Nasal spray suspension | Each gm contains: Mometasone Furoate (as monohydrate) 0.5 mg | Carton box containing 23.5 ml white HDPE bottle containing 18 g suspension (140 actuations) supplied with a metered dose polypropylene spray pump actuator and an inner leaflet |
| 51 | Privacond Ophthalmic Solution | Each 1 ml ophthalmic solution contains: Tetrahydrozoline Hydrochloride 0.5 mg Polyvinyl Alcohol 5 mg Povidone 6 mg | Carton box containing 15 ml ophthalmic solution in white opaque LDPE plastic dropper bottle with white opaque LDPE dropper tip and HDPE screw cap and an inner leaflet. |
| 52 | Sinupret ® forte Coated Tablets | Herbal | Carton box contains 50 coated tablets in blisters , the blisters are made of transparent PVC / PVDC and aluminum foil , each blister contains 25 coated tablets with insert leaflet. |
| 53 | Avamys Nasal Spray Nasal Spray | Each spray actuation delivers: Fluticasone Furoate 27.5 mcg | Carton box contains (off-white plastic device with a dose indicator window , light blue side actuated lever and lid which contains a stopper .The plastic device contains the nasal spray suspension within a Type I amber bottle (glass) fitted with a metering spray pump) of 120 sprays and inner leaflet. |
| 54 | Glycerin Adult Suppositories | Glycerin 1.47 g | Carton box contains 2 (LDPE / White Opaque PVC) strips, each strip of 5 suppositories + an inner leaflet. |
| 55 | Glycerin Infantile Suppositories | Glycerin 0.7359 g | Carton box containing 2 (PVC / PE) strips , each of 5 suppositories and an inner leaflet. |
| 56 | Cetafen 200 / 500 mg Film Coated Tablets | Ibuprofen 200 mg Paracetamol 500 mg | Carton box containing 1 , 2 or 3 (AL / opaque PVC / PVDC) blisters , each of 10 tablets + inner leaflet. |
| 57 | Melacryst 3 mg Oro-dispersible Film | Melatonin 3 mg | Carton box contains 10 ,20 or 30 Oro-dispersible films ,each is packed in a four-layer pouch (from outside to inside : paper , LDPE , aluminum , LDPE) and insert leaflet. |
| 58 | Flixonase Nasal spray | Each actuation (100 mg) contains: Fluticasone Propionate micronized 0.05 mg | Carton box containing Amber (type III) glass bottle (weight of contents for 120 doses is not less than 15 gm) fitted with a metering atomizing spray pump with a low density polyethylene dip tube fitted to the pump is a combined polypropylene nasal white actuator covered with a green polypropylene dust cover and an insert leaflet. |

| | Trade Name | Active Ingredient | Approved Pack Limit |
|----|--|---|--|
| 59 | Agiolax Granules in sachets | Plantago Ovata seed (Plantago Ovata) 2.6 gm+ Ispaghulla husks(Plantago Ovata Forssk) 0.11 gm+Tinnevely senna pods (Cassia angustifolia Vahl) 0.34 – 0.66 gm | Carton box containing 12 sachets , each of 5 gm and an insert leaflet. |
| 60 | Panadol Cold + Flu Vapour Release + Decongestant Powder for Oral Solution | Each sachet contains: Paracetamol 600 mg Phenylephrine Hydrochloride 10 mg | Carton box contains 10 (paper ,polyethylene , aluminium foil ,ethylene-methacrylic acid , co polymer (EMAA) laminate sachets with insert leaflet. |
| 61 | Panadol Sinus Relief PE Tablets | Paracetamol 500 mg Phenylephrine Hydrochloride mg | 5 Carton box containing 2 (Al/Transparent colorless PVDC) strips, each of 12 tablets+ an inner leaflet. |
| 62 | Contractubex Topical Gel | Each 100 gm gel contains: Allantoin 1 gm Heparin Sodium 5000 I.U. equivalent to 0.04 gm Cepae fluid extract 10 gm | Carton box contains Al tube contains 20 , 30 , 50 gm & 100 gm gel with aluminum membrane and white screw HDPE plastic cap with insert leaflet |
| 63 | Menobrocond Film Coated Caplets | Acetaminophen 500 mg Pamabrom 25 mg | Carton box containing 1 , 2 or 3 (Al / opaque white PVC) strips , each of 10 film coated caplets + insert leaflet. |
| 64 | Cetafen Plus N Film Coated Tablets | Paracetamol 500 mg Ibuprofen 200 mg Caffeine Anhydrous 65 mg | Carton box containing 1 , 2 or 3 (opaque white PVC - PVDC - AL) strips , each of 10 tablets with insert leaflet. |
| 65 | Flu-C Powder for oral solution in sachets | Each sachet contains: Chloropheniramine Maleate 4 mg Paracetamol (microfined) 500 mg Caffeine Anhydrous 30 mg Ascorbic Acid (Vitamin C) 500 mg | Carton box containing 6 sachets (from outside to inside paper / LDPE/AL/LDPE) each containing 3 gm powder and insert leaflet. |
| 66 | Spasmomen Film Coated Tablets | Otilonium Bromide 40 mg | Carton box contains 2 (Al / white opaque PVC) strips , each of 10 tablets with insert leaflet. |
| 67 | Fastum 2.5% gel Topical Gel | Ketoprofen 2.5 g / 100 g | Carton box containing one tube of 15 ,50 ,60 , 100 gm gel and inner leaflet. |
| 68 | Purgolaxin Enema | Each 5 ml solution contains: Sodium Citrate 450 mg Sodium Lauryl Sulfoacetate 45 mg | Carton box contains 4 single dose white (LDPE) plastic tube with white (LDPE) plastic nozzle each containing 5 ml rectal solution with insert leaflet. |

| | Trade Name | Active Ingredient | Approved Pack Limit |
|----|---|---|---|
| 69 | Ruscap hard gelatin capsule | Ruscus Aculeatus extract 150 mg+ Trimethyl hesperidin 150 mg+ Ascorbic acid 100 mg | Carton box containing 1,2 or 3 (AL/Transparent PVC)strips each of 10 hard gelatin capsule & insert leaflet |
| 70 | Alverinspasm soft gelatin capsule | Alverine Citrate 60 mg + Simethicone 300 mg | Carton box containing 1,2 or 3 (AL/PVC) strips each of 12 soft gelatin capsules + insert leaflet. |
| 71 | Marpalene 0.1% Topical cream | Adapalene 1mg in each 1gm | Carton box containing collapsible Aluminum tube of 30gm cream with white HDPE plastic cap and insert leaflet. |
| 72 | Vitamax Plus Soft Gelatin Capsules | Herbal medicine containing multivitamins and herbs | Carton box containing 1 , 2 or 3 (Al/PVC) strips ,each of 10 soft gelatin capsules and an inner leaflet. |
| 73 | Expaintech-PM Tablets | Paracetamol 500 mg Diphenhydramine Citrate 38 mg | Carton box containing 1 (AL/ white opaque PVDC) strip of 10 tablets + inner leaflet . |
| 74 | Anaseziago Topical Cream | Each 1 gm contains: Lidocaine 25 mg Prilocaine 25 mg | Carton box containing one AL tube of 30 gm and an inner leaflet. |
| 75 | Panadol Cold & Flu Day Film Coated Tablets | Paracetamol 500 mg Caffeine 25 mg Phenylephrine Hydrochloride 5 mg | Carton box containing 2 (Al+Child resistant foil /Opaque white PVC) strips , each of 12 film coated tablets and an insert leaflet. |
| 76 | Tussigreen Syrup | Each 5 ml Contains: Diphenhydramine Hydrochloride 14 mg Ammonium Chloride 135 mg | Carton box containing amber brown (Type III) glass bottle containing 100 ml syrup ,with high density polyethylene cap and(LDPE) plastic foam liner and insert leaflet. |
| 77 | Daflon 500 mg Film Coated Tablets | Each tablet contains: purified, micronized flavonoic fraction, composed of: Diosmin 90% (450 mg) Flavonoids (as hesperidin) 10% (50 mg) | Carton box containing 1 or 2 blisters pf (Transparent PVC / Al) ,each of 15 film coated tablet and inner leaflet. |
| 78 | Daflon 1000 mg Film Coated Tablets | Purified, Micronized Flavonoic Fraction1000 composed of: Diosmin 90% (900 mg) Flavonoids (as hesperidin) 10% (100 mg) | Carton box contains heat sealed 3 (Al / Transparent PVC) blisters ,each contains 10 film coated tablets with insert leaflet. |
| 79 | Controloc 20 mg Gastro resistant Tablet | Pantoprazole Sodium sesquihydrate 22.57 mg Eq. to Pantoprazole 20 mg | Carton box contains 1 or 2 (Al/Al) blisters each of 7 tablets and insert leaflet. |
| 80 | Jeparilon Chewable Tablets | Calcium Carbonate 800 mg Famotidine 10 mg Magnesium Hydroxide 165 mg | Carton box containing 2(Al/Al) strips , each of 5 chewable tablets and insert leaflet. |

| | Trade Name | Active Ingredient | Approved Pack Limit |
|----|---|--|--|
| 81 | Stopspasm Film Coated Tablets | Phloroglucinol 62.233 mg Trimethylphloroglucinol 80 mg | Carton box containing 1 , 2 or 3 (Al / PVC) strips , each strip contains 10 film coated tablets and an inner leaflet. |
| 82 | Gerozox Oral Suspension | Each 15 ml oral suspension contains: Dried Aluminum Hydroxide Gel 525 mg Magnesium Hydroxide 600 mg | Carton box containing 30 aluminum sachets ,each one contains 15 ml homogenous oral suspension consists of multiple layers (Aluminum foil / PET layer) from outside to inside labeled with product information with insert leaflet. |
| 83 | Novapantolix 20 mg Delayed Release Tablets | Pantoprazole Sodium Sesquihydrate micronized (D90 NMT 30 micron) 22.556 mg equivalent to Pantoprazole 20 mg | Carton box containing 1 or 2 (Al / Al) strips , each strip contains 7 delayed release tablets with insert leaflet. |
| 84 | Nexicure 20 mg Film Coated tablets | Esomeprazole Magnesium Trihydrate Pellets (22.5%) 98.71 mg equivalent to Esomeprazole 20 mg | -Carton box containing 1 (Al/Al) strip of 10 film coated tablet + insert leaflet. -Carton box containing 1 or 2 (Al / Al) strips, each of 7 film coated tablet + insert leaflet. |
| 85 | Estohalt 20 mg Hard Gelatin Capsules containing enteric coated pellets | Each capsule contains 235.294 mg pellets of 8.5% Omeprazole containing: Omeprazole 20 mg | Carton box contains one silica desiccant in LDPE capsule and 14 capsules in transparent amber brown type III glass bottle with aluminum cap lined with LDPE foam liner and an inner leaflet. |
| 86 | Balmentol Topical Spray | Each 80 ml topical spray contains: Menthol oil 4 gm Methyl Salicylate 1.6 gm Camphor 1.6 gm | Carton box contains an aluminum can of 120 ml containing 40 ml colorless clear solution with continuous valve , steam , stainless steel spring and polypropylene plastic actuator and notch cut HDPE dip tube and an insert leaflet. |
| 87 | Sedatuss Oral Suspension | Each 5 ml contains Cloperastine Fendizoate 35.4 mg Equivalent to: Cloperastine HCl 20 mg | Carton box containing amber (type III) glass bottle (its capacity 115 ml) containing 100 ml suspension capped with plastic polypropylene cap with low density expanded polyethylene (LDEPE) liner with insert leaflet. |
| 88 | Nexicure 20 mg Enteric Coated Granules for delayed release oral suspension | Each 1 sachet (3 gm) contains : 235.3 mg of (8.5% esomeprazole MUPS) which contain : Esomeprazole Magnesium Trihydrate 22.3 mg equivalent to Esomeprazole 20 mg | Pack of 7,10 or 14 free (Polyester /Al /LD Polyethylene) from outside to inside sachets , each contains 3000 mg granules with insert leaflet. |
| 89 | Utopiacold Powder for oral solution | Each sachet contains: Paracetamol 650 mg Diphenhydramine Hydrochloride 25 mg Phenylephrine Hydrochloride 10 mg | Carton box containing 6 sachet (from outside to inside (Paper / PA/AL/LDPE) ,each of 6 g oral powder with insert leaflet. |

| | Trade Name | Active Ingredient | Approved Pack Limit |
|----|--|--|--|
| 90 | Contraplan II Tablets | Levonorgestrel 0.75 mg | Carton box containing 1 , 2 or 3 (Al / Transparent PVC) blisters , each of 2 tablets with insert leaflet. |
| 91 | Helixopan Syrup | Each 5 ml of syrup contains: Ivy leaves Extract Dry powder 35 mg | -Carton box printed with product information containing amber glass (type III) bottle contains 200 ml syrup closed with white (HDPE) plastic closure cap and the cap is connected to bottle neck by red coloured (HDPE) seal off and contain foam liner (Poly olefin). - Carton box printed with product information containing amber glass (type III) bottle with capacity 135 ml contains 120 ml syrup closed with white (HDPE) plastic closure cap and the cap is connected to bottle neck by red coloured (HDPE) seal off and contains foam liner (Poly olefin) |
| 92 | Nogestrel 0.75 mg Tablets | Levonorgestrel 0.75 mg (Micronized) | Carton box contains one (Al / transparent colorless PVC) strip of 2 tablets with insert leaflet. |
| 93 | Nogestrel 1.5 mg Tablets | Levonorgestrel (D90≤ 10µm) 1.5 mg | Carton box contains one (Al / colorless transparent PVC) strip of 1 tablet with insert leaflet. |
| 94 | Greeny Soft Gelatin Capsules | Peppermint Oil 56 mg Anise Oil 100 mg | Carton box containing 2 (Al /PVDC) strips ,each of 10 soft gelatin capsule and insert leaflet. |
| 95 | Gravomag 460/400 mg Oral Suspension | Each sachet (4.3 ml) contains: Aluminum Hydroxide 460 mg (as Aluminum Hydroxide gel) Magnesium Hydroxide 400 mg (as Magnesium Hydroxide gel) | Carton box contains 20 sachets each sachet consists of 3 layers from inside to outside (polyester , Aluminum , polyethylene) with insert leaflet. |
| 96 | Histalocetine Oro-dispersible tablet | Levocetirizine Dihydrochloride 5 mg | Carton box containing 1 , 2 or 3 (ALU / ALU) strips each of 10 tablets with insert leaflet. |
| 97 | Esomeprazole –Eva Pharma 20 mg Delayed Release Granules for Oral Suspension | Enteric Coated Pellets (15% of base) 133.33 mg contains: Esomeprazole magnesium trihydrate 22.3 mg (equivalent to Esomeprazole 20 mg) | Carton box contains 14 Aluminum sachets composed of 3 layers from outside to inside (low density polyethylene terephthalate , aluminum and LDPE film) containing 4 gm granulated powder with insert leaflet. |

| | Trade Name | Active Ingredient | Approved Pack Limit |
|-----|---|--|--|
| 98 | Nicorette Invisi 10 mg Transdermal Patch | Each Patch contains: Nicotine 15.75 mg Delivered 10 mg Nicotine / 16 hr | Each patch is packed in a heat sealed laminate pouch consisting of paper , PET film , aluminum & cyclo olefin copolymer coextrudate (CoCcoex). |
| 99 | Nicorette Quickmist Oromucosal Spray | Each spray delivers: NICOTINE 1 mg | PET bottle containing 13.2 ml of solution .one bottle contains 150 sprays of 1 mg. The bottle is placed in a dispenser with a mechanical spray pump with an actuator. The dispenser has a child resistant feature with insert leaflet. |
| 100 | Enterogermina Oral Powder | Each 2 g sachet contains: Spores of poly-antibiotic resistant B.clausii 6 billion | -Drug Product: Cardboard carton containing 9 sachets composed of composite foil of inner layer transparent polyethylene(PE), middle layer aluminum foil (Al), and outer layer polyethylene terephthalate (PET) film. -Drug Substance: Airtight aluminum bottle of about 6 liters. Its closure system is composed of a chlorobutyl rubber cap and an aluminum cap. |
| 101 | Esomeprazole –Eva Pharma Enteric Coated Tablet | Esomeprazole 20 mg As Esomeprazole Magnesium Trihydrate 22.3 mg | Carton box contains one AL (Opa /Al / PVC) blister contains 10 enteric coated tablets with insert leaflet. |
| 102 | Nasoflutin Metered Nasal Spray | Each (metered dose inhalation) contains: Fluticasone Furoate (Micronized) 27.5 mcg (D90 NMT 45 micron) | Carton box containing an amber glass bottle type III containing 10 ml suspension with LDPE / PP tube and an INOX spring , capped with a colorless transparent polypropylene cap + inner leaflet. |
| 103 | Ambezim G Enteric Coated Tablets | Trypsin and Chemotrypsin (Corresponding to the activity of Trypsin 5 mg + Chemotrypsin 5 mg) 200000 P.U. (Proteolytic Units) | Carton box containing 2 (Al/PVC) strips , each of 10 tablets and an inner leaflet. |

| | Trade Name | Active Ingredient | Approved Pack Limit |
|-----|---|---|---|
| 104 | Canephron Uno Coated Tablets | <p>-Each coated tablet contains:</p> <p>Centaury aerial parts , pulverized (Centaurium erythraea s.l.) 36 mg</p> <p>-Total polyphenols , calculated as pyrogallol (0.35 – 2.3 mg / 100 mg)</p> <p>Lovage root , pulverized (Levisticum officinale Koch) 36 mg</p> <p>-Essential oil assay for the cut drug : > = 3.0 [ml/kg]</p> <p>Rosemary leaf , pulverized (Rosmarinus officinalis L) 36 mg</p> <p>-Total hydroxycinnamic derivatives expressed as rosmarinic acid assay > = 3 [% (m/m)]</p> <p>-Essential oil assay ; > = 12 [ml/kg]</p> | Carton box containing 2 (PVC / PVDC –AL foil) blisters each of 15 coated tablets. |
| 105 | Fluimucil Effervescent tablets | Acetylcysteine 600 mg | Carton box containing 5 [(AL/PE) / (PA/AL/PE)] blisters , each of two tablets and an inner leaflet. |
| 106 | Nicorette Invisi 15 mg Transdermal Patch | Each patch contains: Nicotine 23.62 mg Delivered 15 mg nicotine / 16 hr | Each patch is packed in a heat sealed laminate pouch consisting of paper , PET film , aluminum & cyclo olefin copolymer coextrudate (CoCcoex). |
| 107 | Nicorette Invisi 25 mg Transdermal Patch | Each patch contains: Nicotine 39.37 mg Delivered 25 mg nicotine / 16 hr | Each patch is packed in a heat sealed laminate pouch consisting of paper , PET film , aluminum & cyclo olefin copolymer coextrudate (CoCcoex). |
| 108 | Pridocaine Topical Cream | Each 1 gm contains: Lidocaine 0.025 gm Prilocaine 0.025 gm | Carton box containing aluminum tube with AL membrane of 15 gm or 30 gm cream with HDPE cap with insert leaflet. |
| 109 | Sinupret Syrup | Herbal Medication | Cardboard box containing 100 ml brown amber glass type III bottle filled with syrup , with a pouring aid , closed with a PP screw cap and HDPE tamper evident ring. |
| 110 | Linorose Soft Gelatin Capsules | Refined evening primrose oil 1000 mg Latin name: Oenothera biennis L. or Oenothera lamarckiana L. Standardized as : Linoleic acid 65% to 85% | Carton box containing 3 (AL /transparent colorless PVC / PVDC) strips each of 10 S.G.C. + inner leaflet. |

| | Trade Name | Active Ingredient | Approved Pack Limit |
|-----|---|--|---|
| 111 | Imodium Instants Oro-dispersible tablets | Loperamide Hydrochloride 2 mg | Carton box contains (AL/AL) blister of 6 tablets , consisting of a seal foil (Paper / PET / ALu-foil) and a base foil (PVC / OPA / ALu / OPA , PVC-foil) with insert leaflet. |
| 112 | Bilastigec Tablets | Bilastine (D90 less than 80µm) 20 mg | Carton box containing 1,2 or 3 (Al/Al) strips , each of 10 tablets + an inner leaflet. |
| 113 | Gaviscon Double Action Liquid Oral suspension in bottle | Each 10 ml contains: Sodium Alginate 500 mg Sodium Hydrogen Carbonate 213 mg Calcium Carbonate 325 mg | Amber glass type III bottle containing 150 ml suspension with polypropylene (PP) screw-cap with high density polyethylene (HDPE) tamper evident band fitted with an expanded polyethylene (EPE) wad. |
| 114 | Gaviscon Double Action Liquid sachets Oral Suspension in sachets | Each sachet (10 ml) oral suspension contains: CALCIUM CARBONATE 325 mg SODIUM ALGINATE 500 mg SODIUM BICARBONATE 213 mg | Carton box containing 2, 6, 12, 24 and 36 units dose stick pack style sachets, made of polyester, Aluminum and polyethylene, each sachet of 10 ml with insert leaflet. |
| 115 | Adanoid 0.1% Topical gel | Adapalene ; micronized 0.1 gm / 100 g | Carton box containing inner laminated low density polyethylene / high density polyethylene tube containing 30 gm topical gel with polypropylene cap + inner leaflet. |
| 116 | Amcilonap Metered Nasal Spray | Each metered nasal spray contains: Triamcinolone Acetonide micronized 55 µg | Carton box containing 1 white opaque HDPE (High density poly ethylene) bottle of 20 g capacity containing 16.5 g suspension with at least 120 sprays of white to off-white aqueous suspension with metering atomizing spray pump made of several parts; low density polyethylene piston, polyethylene screw cap and stainless-steel ball and spring, LDPE compound gasket, LDPE/PP compound dip-tube and polydimethyl-siloxane surface lubricant with inner insert. |
| 117 | Ebastel Film Coated Tablets | Ebastine 10 mg | Carton box contains 1 or 2 (Al/Transparent Colorless PVC/LDPE/PVDC) Strips each of 10 film coated tablets with insert leaflet. |
| 118 | MERVOSA Syrup | Each 5 ml contains: LEVOCETIRIZINE Hydrochloride 2.5 mg | Carton box containing PET plastic bottle with capacity of 150 ml containing 120 ml solution with (HDPE) plastic cap and seal with insert leaflet |
| 119 | Napizole 20 mg Hard gelatin capsules containing enteric coated pellets | Each hard gelatin capsule contains: 235.29 mg of 8.5% omeprazole pellets which contains: Omeprazole 20 mg | Carton box contains white (HDPE) plastic jar with white polypropylene plastic cap containing silica gel sachet with aluminum foil induction seal contains 14 hard gelatin capsules with insert leaflet. |

| | Trade Name | Active Ingredient | Approved Pack Limit |
|-----|--|---|---|
| 120 | Rastiglo Oral suspension | Each 1 ml contains: Cloperastine fendizoate (Particle size : 50% < 20 Micron, 90% < 75 Micron) 3.54 equivalent to Cloperastine HCl 2 mg | Carton box containing (Type III) amber glass bottle of 125 ml volume containing 100 ml suspension overed with white polypropylene plastic cap (with low density polyethylene inner lining foam) + measuring cup with insert leaflet. |
| 121 | Pepzole 20 mg Hard Gelatin Capsules containing Enteric Coated pellets | Omeprazole 20 mg | Carton box containing one (Alu/White opaque PVDC) blisters each of 14 hard gelatin capsules and insert leaflet. |
| 122 | Protofix Gastro-resistant enteric coated tablets | Pantoprazole sodium sesquihydrate 22.5 mg Eq. to pantoprazole 20 mg. | Carton box contains 2 (Al/Al) blisters, each of 7 gastro-resistant enteric coated tablets with an insert leaflet. |
| 123 | Rhinocort® Aqua 64 µg Nasal spray | Each dose contains: Budesonide 64 mcg | Carton Box contains amber glass (Type III) bottle Fitted with a spray Pump and Nasal applicator 120 doses. the Pump consists of Plastic Components (Adapter, Cylinder, Piston, Seal Housing, Stem, Dip tube), elastomer, (gasket) and metal components (spring, ball and crimp closure) and Nasal applicator consisting of Nasal actuator, Spray insert and protecting Cap with insert leaflet. |
| 124 | Strogenzo Hard Gelatin Capsules | <p>Estro G-100 : A proprietary blend of standardized extracts of: 257 mg</p> <p>*Angelica gigas root extract powder 90 mg -Latin name: Angelica gigas Nakai. -Standerdization : Nodakenin – NLT 0.335%</p> <p>*Cynachum wilfordii root extract powder 83.5 mg -Latin name: Cynachum wilfordii Hemsley -Standardization : cinnamic acid – NLT 0.0012%</p> <p>*Phlomis umbrosa root extract powder 83.5 mg -Latin name: Phlomis umbrosa Turcz -Standardization : Shanzhiside methyl ester – NLT 0.02%</p> | Carton box containing 3 (Al/Transparent PVC / PVDC) strips, each of 10 capsules kept in alum. foil sealed bag + an insert. |

| | Trade Name | Active Ingredient | Approved Pack Limit |
|-----|---|--|---|
| 125 | Windy 600 mg Oral Granules | Each 1 sachet (5 gm) contains: Acetylcysteine 600 mg | Carton box contains 10 aluminum laminated foil sachets each sachet consists of 4 layers from inside to outside (LDPE , Aluminum , LDPE , paper) each sachet contains 5 gm oral granules with insert leaflet. |
| 126 | Free Baby Syrup | Each 5 ml contains: *Caraway oil 5 mg Carum carvi (carvone content NLT 50%) *Dill oil 5 mg Anethum Graveolens (carvone content 43% - 63%) *Sodium bicarbonate 50 mg | Carton box containing one amber glass type III bottle containing 120 ml syrup with white HDPE plastic cap with red band with dp logo on the upper surface of the cap and inner co-extruded expanded low density polyethylene foam liner + insert leaflet. |
| 127 | Omegal Rose Soft Gelatin Capsules | Refined evening primrose seeds oil 400 mg Providing gamma linolenic acid (GLA) 38 mg Latin name : Oenothera biennis L. or Oenothera Lamarckiana L. Standardized as Linoleic acid 65% to 85% Omega -3 acid ethyl esters 250 mg Eicosapentaenoic Acid Ethyl Esters(EPA) Min: 40% Docosahexanoic Acid Ethyl Esters (DHA) Min: 34% | Carton box contains 1 ,2 or 3 (AL/transparent PVDC) strips each contains 10 soft gelatin capsule with insert leaflet. |
| 128 | Stopadol Woman Film Coated Caplets | Paracetamol 500 mg Pamabrom 25 mg Pyrilamine maleate 15 mg | Carton box containing 2 (AL/white opaque PVDC) blisters, each of 10 film coated caplets in aluminum sachet with insert leaflet. |
| 129 | Gestrolette Tablets | Levonorgestrel 1.5 mg (micronized) (D90 < 10 µm) | Carton box contains 1 , 2 or 3 (AL / transparent PVC / PVDC) blisters each containing one tablet with insert leaflet. |

| | Trade Name | Active Ingredient | Approved Pack Limit |
|-----|--|--|--|
| 130 | Sylvester 1 Hard Gelatin Capsules | <p>*Native Gymnema Leaves Powder Extract 100 mg Standerdized as NLT 5% Gymnemic acid calculated as Gymnemagenin on the dried basis</p> <p>*Powdered Garcinia hydroxycitrate extract 175 mg Standerdized as NLT 40% Hydroxycitric acid calculated on the dried basis</p> <p>*Chromium Picolinate 150 mcg Equivalent to Chromium 18.645 µg</p> | Carton box containing 1 , 2 , 3 or 6 (Al / Transparent PVC) strips , each containing 10 H.G.C and inner leaflet. |
| 131 | Gynozol Vaginal Cream | Each 1 gm contains: Miconazole Nitrate 20 mg | Carton box containing printed aluminum tube containing 40 gm vaginal cream with white (HDPE) plastic cap with (HDPE) plastic applicator with insert leaflet. |
| 132 | Alkaline Wash (SAP) Powder in sachets | -Each sachet (6 gm) contains: Sodium Chloride 2 gm Sodium Bicarbonate 2 gm Borax 2 gm | Carton box containing 12 sachets , each sachet consists of 4 layers (from outside to inside : paper , extrude LDPE , Aluminum foil then extrude LDPE and copolymer) , each sachet containing 6 gram crystalline powder with insert leaflet. |
| 133 | Alphintern Enteric Coated Tablets | Trypsin / Chymotrypsin Mix 12 mg (as Alphachemotrypsin ; 14.000 u katal ; Trypsin 5.000 u katal) | Carton box contains 1 , 2 or 3 (AL / transparent colorless PVC / PVDC) Strips each of 10 enteric coated tablets with insert leaflet. |
| 134 | Flamotal 400 mg Film Coated Tablets | Ibuprofen 400 mg | Carton box contains 1 or 3 (Al / transparent PVC) stips each of 10 film coated tablets with an insert leaflet. |
| 135 | Spididol Granules for oral solution | Ibuprofen 400 mg | Carton box contains 12 or 30 (Paper AL- Polyethylene (LDPE)) sachets, each of 3 g with insert leaflet. |
| 136 | G.C.Mol Effervescent Granules | Each sachet contains: Guaifenesin 0.1 gm Ascorbic Acid (Vitamin C) 0.25 gm Paracetamol Micronized 0.325 gm | Carton box containing 6 or 10 aluminum laminated foil sachets ,each consists of 4 layers from outside to inside LDPE, AL ,LDPE ,paper each sachet consists of 5.5 gm effervescent granules with insert leaflet. |

| | Trade Name | Active Ingredient | Approved Pack Limit |
|-----|--|--|---|
| 137 | Profusol 400 mg Soft Gelatin Capsules | Ibuprofen 400 mg | Carton box containing 1 ,2 or 3 (AL / transparent PVDC) strips, each of 10 soft gelatin capsules with insert leaflet. |
| 138 | DR OXYGEN Laxotopia Granules in Sachets | Each sachet contains: Ispaghula Husk Dry (Psyllium husk) Powder 110 mg Latin name: Plantago ovata Forssk (P.ispaghula Roxb.) Standardization: mucilage Swelling test (NLT 40 ml /gm) Psyllium Seed Dry Powder 2600 mg Latin name: Plantago afra L.(Plantago psyllium L.) or Plantago indica L. (Plantago arenaria Waldstein and Kitaibel) Standardization: mucilage swelling test (NLT 10 ml/gm) Tinnevelly Senna Fruit Powder (Cassia angustifolia Vahl.) 500 mg Standardization: Minimum 2.2 percent of hydroxyanthracene glycosides, expressed as sennoside B (dried drug). | Carton box containing 6 sachets (from outside to inside (Paper/Polyester/AL/LDPE) each contains 5 gm powder + insert leaflet. |
| 139 | Cetafen-N 100 mg / 5 ml Oral Suspension | Each 5 ml contains: Ibuprofen 100 mg | Carton box contains amber colored, polyethylene terephthalate (PET) plastic bottle contains 120 ml suspension closed with pilfer proofed plastic cap composed of white polypropylene cap with LDPE pilfer proof ring & white LDPE foam liner with insert leaflet. |
| 140 | DR OXYGEN Monohexal Syrup | *Each 5 ml contains: *Dried Ivy leaf powder extract Hedera helix L. 45 mg (Contains NLT 3% Hederacoside C) | Carton box containing amber PET bottle of 135 ml capacity filled with 120 ml of product closed with (PP) plastic cap with (LDPE) internal foam liner and red tamper evident (LDPE) ring + 20 ml measuring plastic cup with insert leaflet. |
| 141 | Brufen 400 mg Sugar Coated Tablet | Ibuprofen 400 mg | Carton box containing 3 (hard AL foil / transparent PVC) strips , each of 10 sugar coated tablets and inner leaflet. |

| | Trade Name | Active Ingredient | Approved Pack Limit |
|-----|---|--|---|
| 142 | Femicure Hard Gelatin Capsule | Vitex Agnus Castus L. dried extract 20 mg Standardized to contain N.L.T 0.5% agnuside | Carton box containing 2 or 3 (PVC / PVDC) blisters each of 10 capsules & insert leaflet. |
| 143 | Tomex Enteric Coated Tablets | Dried garlic powder, bulbs of Allium Sativum L. 200 mg Standardized to contain minimum of 0.45% of Allicin. | Carton box contains an amber glass bottle type(III) inside it a cylindrical sponge, sealed with adhesive protective polystyrene seal and covered with HDPE white cap containing 80 enteric coated tablets + insert leaflet. |
| 144 | Tomex Plus Enteric Coated Tablets | Dried garlic powder, bulbs of Allium Sativum L. 300 mg Standardized to contain minimum of 0.45% of Allicin | Carton box contains an amber type (3) glass bottle inside it a cylindrical sponge contains 50 enteric coated tablets, sealed with adhesive protective polystyrene seal and covered with HDPE white cap + inner leaflet. |
| 145 | Davalindi 1000 I.U. Tablets | Cholecalciferol concentrate 10 mg Equivalent to: Vitamin D3 (Cholecalciferol) 1000 I.U. | Carton box contains (HDPE) plastic bottle with child safe (HDPE) plastic cap lined with carton foam liner and aluminum induction seal containing 100 tablets with an insert leaflet. |
| 146 | Vidrop® Oral drops | Each 1 ml contains: Vitamin D3 (Cholecalciferol) 2800 I.U. | Carton box contains amber glass bottle type (III) of 10 ml or 15 ml with plastic dropper have polypropylene plastic cap & rubber pump with transparent polypropylene plastic stem with inner leaflet. |
| 147 | Ketolgin® Topical gel | Each 1 gm contains: Ketoprofen 25 mg | Carton box contains Aluminum tube of 15 gm or 40 gm gel with insert leaflet. |
| 148 | Omez Hard gelatin capsules containing enteric coated pellets | Omeprazole 20 mg | Carton box contains 2 (AL / transparent PVDC) strips, each of 7 hard gelatin capsules with insert leaflet. |
| 149 | Buscopan® Sugar Coated Tablets | Hyoscine – N – Butyl Bromide 10 mg | Carton box containing 2 [Al / white (PVC/PVDC)] strips, each contains 10 sugar coated tablets with insert leaflet. |
| 150 | Lergicare 5 mg / ml Oral Drops,Solution | Each 1 ml contains: Levocetirizine Dihydrochloride 5 mg | Carton box containing amber glass bottle (type III) containing 10 ml or 20 ml solution fitted with low density polyethylene dropper & high density polyethylene white cap with insert leaflet. |

| | Trade Name | Active Ingredient | Approved Pack Limit |
|-----|--|---|---|
| 151 | Lergicare Oral Solution | Each 5 ml contains: Levocetirizine Dihydrochloride 2.5 mg | Carton box containing amber (type III) glass bottle containing 120 ml oral solution closed with white polypropylene plastic cap containing low density polyethylene foam liner (LDPE) + colorless plastic measuring cup + an inner leaflet. |
| 152 | Lergicare Film Coated Tablets | Levocetirizine Dihydrochloride 5 mg | Carton box containing 1 ,2 or 3 (AL / Transparent PVC) strips, each of 10 film coated tablets with an insert leaflet. |

يرجى ملاحظة أنه يتم تغيير وضع المستحضر وإلغاء إدراجه بقائمة الأدوية غير الوصفية ؛ حال ظهور أى معلومات جديدة خاصة بمأمونية المستحضر مما يجعله غير ملائماً للاستخدام بواسطة المريض دون إشراف طبي